


# *Gleditsia triacanthos*

## Distribution




### Map info

● revised records

○ unrevised records

On the map are not visualized records without the coordinates and records marked as incorrect or doubtful.



© Dana Michalčová

## Habitus and growth type

Height [m]: **20-35**

Growth form: **tree**


Life form: **macrophanerophyte**

Life strategy (Pierce method based on leaf traits): **C/CSR**

Life strategy (Pierce method, C-score): **61.8 %**

Life strategy (Pierce method, S-score): **24.6 %**

Life strategy (Pierce method, R-score): **13.6 %**



© Dana Michalčová

## Leaf

Leaf presence and metamorphosis: **leaves present, not modified**

Leaf arrangement (phyllotaxis): **alternate**


Leaf shape: **compound - imparipinnate, compound - paripinnate, compound - bipinnate**

Stipules: **present**

Petiole: **present**

Leaf deciduousness in woody plants: **winter deciduous**

Functional leaf type in woody plants: **broad deciduous or semi-deciduous**



© Dana Holubová

## Flower

Flowering period [month]: **June**

Flower colour: **yellow-green**  
 Flower symmetry: **actinomorphic**  
 Perianth type: **calyx and corolla**  
 Perianth fusion: **free**  
 Calyx fusion: **synsepalous**  
 Inflorescence type: **racemus**

### Fruit, seed and dispersal

Fruit type: **dry fruit - legume**  
 Fruit colour: **brown**  
 Myrmecochory: **probably non-myrmecochorous**

### Trophic mode

Parasitism and mycoheterotrophy: **autotrophic**  
 Carnivory: **non-carnivorous**  
 Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

### Taxon origin

Origin in the Czech Republic: **neophyte**  
 Invasion status: **casual**  
 Geographic origin: **North America**  
 Year of the first record in the wild: **2008**  
 Period of introduction: **Present (after 2000)**  
 Introduction pathway: **intentional - ornamental**

### Habitat and sociology

Affinity to the forest environment  
 Affinity to the forest environment in Thermophyticum: **0 - taxon that does not spontaneously occur in Czech forests**  
 Affinity to the forest environment in Mesophyticum and Oreophyticum: **0 - taxon that does not spontaneously occur in Czech forests**

### Threats and protection

Red List 2017 (national categories): **taxon is not on the Red List**  
 Red List 2017 (IUCN categories): **LC(NA) - least concern (taxon is not on the Red List)**  
 Legal protection: **not protected by law**



